

UNIVIEW, NVR 8CH HDMI 1 RCA H264+ 1 SATA 1080p/960p/720p/D1/2CIF/CIF



Marca:

Código del producto: 1676, NVR101-08S

Disponibilidad: In Stock

Peso: 0.00kg

Dimensiones: 0.00cm x 0.00cm x 0.00cm

Short Description

- Support H.264 video formats
- 4/8-channel input
- Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile C, Profile Q, Profile A, Profile T
- HDMI and VGA output up to 1080P
- HDMI1 and VGA simultaneous output
- Up to 1080P resolution recording
- 1 SATA HDD up to 6 TB
- ANR technology to enhance the storage reliability when the network is disconnected

Descripción

- Support H.264 video formats
- 4/8-channel input
- Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile C, Profile Q, Profile A, Profile T
- HDMI and VGA output up to 1080P
- HDMI1 and VGA simultaneous output
- Up to 1080P resolution recording
- 1 SATA HDD up to 6 TB
- ANR technology to enhance the storage reliability when the network is disconnected

- NVR101-04S

NVR101-08S

Video /Audio Input

IP Video Input

4-ch

8-ch

Two-way Audio Input

1-ch, RCA

Network

Incoming Bandwidth

25Mbps

50Mbps

Outgoing Bandwidth

16Mbps

32Mbps

Remote Users

128

Protocols

P2P, UPnP, NTP, DHCP, PPPoE

Video/Audio Output

HDMI/VGA Output

HDMI/VGA:

1920x1080p /60Hz, 1920x1080p /50Hz, 1600x1200 /60Hz, 1280x1024 /60Hz,
1280x720 /60Hz, 1024x768 /60Hz

Audio Output

1-ch, RCA

Recording Resolution

1080p/960p/720p/D1/2CIF/CIF

Synchronous Playback

4-ch

8-ch

Corridor Mode Screen

3/4

3/4/5/7/9

Decoding

Decoding format

H.264

Live view/ Playback

1080p/960p/720p/D1/2CIF/CIF

Capability

1*1080P@30, 3*960P@25, 4*720P@25, 8*D1

Hard Disk

SATA

1 SATA interface

Capacity

up to 6TB for each disk

External Interface

Network Interface

1 RJ-45 10M/100M self-adaptive Ethernet Interface

USB Interface

Rear panel: 2 x USB2.0

General

Power Supply

12V DC

Power Consumption: ?4 W (without HDD)

Working Environment

-10°C ~ + 55°C (+14°F ~ +131°F), Humidity ? 90% RH(non-condensing)

Working Humidity

10% ~ 90%

Dimensions(W×D×H)

260mm ×215 mm ×44 mm (1.7" × 8.5" × 10.2")

Weight (without HDD)

? 0.79 Kg (1.74 lb)